## **Reference List**

## Studies Reporting Disrupted Immune Function from Exposure to Low-Intensity Radiofrequency Radiation (Non-thermal)

(Wireless Antenna Facilities, Wi-Fi Routers Wireless Laptops, Tablets, Wireless Utility Meters)

Ashraf AA. Safaai BD. Zaki N. 2011. The effects on cell mobility due to exposure to EMF radiation. Advanced Computing; An International Journal 2:1-7.

Belyaev IY, Hillert L, Protopopova M, Tamm C, Malmgren LO, Persson BR, Selivanova G, Harms-Ringdahl M. 2005. 915 MHz microwaves and 50 Hz magnetic field affect chromatin conformation and 53BP1 foci in human lymphocytes from hypersensitive and healthy persons. Bioelectromagnetics. 26(3):173-184.

Boscol et al, 2001. Effects of electromagnetic fields produced by radiotelevision broadcasting stations on the immune system of women. Sci Total Environ 273(1-3):1-10.

Buchner K, Eger H., 2011. Changes of Clinically Important Neurotransmitters under the Influence of Modulated RF Fields—A Long-term Study under Real-life ConditionsUmwelt-Medizin-Gesellschaft 24(1): 44-57. Original study in German.

Dabrowski MP, Stankiewicz, Sobiczewska S, Szmigielski S. 2001. Immunotropic influence of electromagnetic fields in the range of radio- and microwave frequencies [article in Polish], Pol. Merkur. Lekarski 11 (447-451).

Dabrowski MP, Stankiewicz, Kubacki R, Sobiczewska S, Szmigielski S. 2003. Immunotropic effects in cultured human blood mononuclear cells pre-exposed to low-level 1300 MHz pulse-modulated microwave field. Electromagn. Biol. Med. 22 (1-13).

D'Inzeo, G et al, 1988. Microwave effects on acetylcholine-induced channels in cultured chick myotubes. Bioelectromagnetics 9: 363-372.

Donnellan M, McKenzie DAR, French PW. 1997. Effects of exposure to electromagnetic radiation at 835 MHz on growth, morphology and secretory characteristics of a mast cell analogue, RBL-2H3. Cell Biol. Int 21: 427-439.

Elekes, E, 1996. Effect on the immune system of mice exposed chronically to 50 Hz amplitude-modulated 2.45 GHz microwaves. Bioelectromagnetics 17:246-248.

Esmekaya MA, Aytekin E, Ozgur E, Guler G, Ergun MA, Omeroglu S. et al., 2011. Mutagenic and morphologic impacts of 1.8 GH radiofrequency radiation on human peripheral blood lymphocytes (hBPLs) and possible protective role of pre-treatment with Ginkgo biloba (EGb 761). Science of Total Environment 410:59-64.

Fesenko, EE, Makar VR, Novoselova EG, Sadovnikov VB. 1999. Microwaves and cellular immunity. I. Effect of whole body microwave irradiation on tumor necrosis factor production in mouse cells. Bioelectrochemistry and Bioenergetics 49 (1): 29-35.

Fesenko EE, Novoselova EG, Semiletova NV, Agafonova TA, Sadovnikov VB. 1999. Stimulation of murine natural killer cells by weak electromagnetic waves in the centimeter range. [Article in Russian], Biofizika 44 737-741.

Harvey C, French PW. 2000. Effects on protein kinase C and gene expression in a human mast cell line, HMC-1, following microwave exposure. Cell Biol. Int. 23:739-748.

Jirillo E, Boffola S, Stefanelli R, Magrone T, Vitale E, Pappagallo MT et al. 2014. *Invitro* effects of low intensity 1.8 GHz radiofrequency radiation on human peripheral blood leukocytes from healthy donors: A morphometric and morphological study. Adv. Res. 2(9): 478-493.

Johansson O. 2009. Disturbance of the immune system by electromagnetic fields - A potentially underlying cause for cellular damage and tissue repair reduction which could lead to disease and impairment. Pathophysiology 16: 157-177.

Kolomytseva MP, Gapeev AB, Sadovnikov VB, Chemeris NK. 2002. Suppression of nonspecific resistance of the body under the effect of extremely high frequency electromagnetic radiation of low intensity. [Article in Russian], Biozika 47:71-77

Kwee, S et al, 2001. Changes in cellular proteins due to environmental non-ionizing radiation. I. Heat-shock protiens. Electro-and Magnetobiology 20:141-152.

Lasalvia M, Scrima R, Perna G, Piccoli C, Capitanio N, Biagi PF, Schiavulli L, Ligonzo T, Centra M, Casamassima G, Ermini , Capozzi V. 2018. Exposure to 1.8 GHz electromagnetic fields affects morphoogy, DNA-related Raman spectra and mitochondrial functions in human lympho-monocytes. PLOS One 13:(2) 1-26.

Lushnikov KV, Gapeev AB, Sadovnikov VB, Cheremis NK,. 2001. Effect of extremely high frequency electromagnetic radiation of low intensity on parameters of humoral immunity in healthy mice. [Article in Russian], Biofizika 46:753-760.

Markova E, Hillert L, Malmgren L, Persson BRR, Belyaev IY. 2005. Microwaves from GSM mobile telephones affect 53BP1 and y-H2AX foci in human lymphocytes from hypersensitive and healthy persons. Environmental Health Perspectives Vol 113: No. 91 1172-1177.

Nageswari KS, Sarma KR, Rajvanshi VS, Sharan R, Sharna M, Barathwal V, Singh V1991. Effect of chronic microwave radiation on T cell-mediated immunity in the rabbit. Int. J. Biometeorol, 35:92-97

Nakamura H, Seto T, Nagase H, Yoshida M, Dan S, Ogino K. 1997. Effects of exposure to microwaves on cellular immunity and placental steroids in pregnant rats. Occup, Environ. Med. 54:676-680.

Novoselova EG, Fesenko EE, Makar VR, Sadovnikov VB. 1999. Microwaves and cellular immunity. II Immunostimulating effects of microwaves and naturally occurring antioxident nutrients. Bioelectrochemistry and Bioenergetics 49 (1): 37-

Novoselova EG, Fesenko EE. 1998. Stimulation of production of tumor necrosis factor by murine microphages when exposed to in vivo and in vitro to weak electromagnetic waves in the centimeter range. [Article in Russian], Biofizika 43:1132-1333.

Paredi P et al, 2001. Local Vasodilator Response to Mobile Phones. Laryngoscope 111: 159-162.

Sarimov, R., Malmgren, L.O.G., Markova, E., Persson, B.R.R.. Belyaev, I.Y. 2004. Nonthermal GSM microwaves affect chromatin conformation in human lymphocytes similar to heat shock. IEEE Trans Plasma Sci 32:1600-1608.

Stankiewicz W, Dąbrowski MP, Kubacki R, Sobiczewska E, Szmigielski S. 2006. Immunotropic Influence of 900 MHz Microwave GSM Signal on Human Blood Immune Cells Activated in Vitro. Electromagnetic Biology and Medicine 25(1) 45-51.

Veyret, B et al, 1991. Antibody responses of mice exposed to low-power microwaves under combined, pulse and amplitude modulation. Bioelectromagnetics 12: 47-56.

All rights reserved per Sections 107 and 108 of the United States Copyright Act. Permission is required to reproduce this publication in any form or by any means.

Requests: Cindy Sage, Sage Associates (sage@silcom.com)